

REPLACEMENT SHEET

1/11

H

SUGAR-CONTAINING AMPHIPHILIC OLIGOMERS




FIG.1A




FIG.1B




FIG 1C



REPLACEMENT SHEET

2/11





FIG.2



3/11




FIG.3



4/11

STABILITY OF PALMITATE-PEG₃-ENKEPHALIN
IN RAT BRAIN HOMOGENATE




FIG.4



5/11




FIG.5A





FIG.5B



REPLACEMENT SHEET

6/11




FIG.5C





FIG.5D



7/11




FIG 6

ANALGESIC EFFECT OF A 5 mg/kg IV DOSE OF CETYL-PEG₂-ENKEPHALIN (SEQ ID NO: 1)
 MONOCONJUGATE IN THE RAT HOT-PLATE ASSAY





FIG 7






9/11

COMPARISON OF μ -RECEPTOR BINDING AFFINITY OF ENKEPHALIN CONJUGATES		
DRUG OR CONJUGATE	DETAILED STRUCTURE	% SPECIFIC BINDING
NALOXONE	NALOXONE	100
ENKEPHALIN	MET-ENKEPHALIN-LYS (SEQ ID NO: 49)	67
CETYL-ENK	CETYL-PEG ₂ -ENK (SEQ ID NO: 1)	100
CHOL-ENK	CHOLESTEROL-PEG ₃ -ENK (SEQ ID NO: 1)	95
DHA-ENK	DHA-PEG ₂ -ENK (SEQ ID NO: 1)	63
PALM-ENK	PALMITATE-PEG ₃ -ENK (SEQ ID NO: 1)	76
CETYL-TEG-ENK	CETYL-PEG ₃ -ENK (SEQ ID NO: 1)	100

FIG.8



10/11

SYNTHESIS OF OLIGOMER





FIG.9


11/11

ATTACHMENT OF OLIGOMER TO ENKEPHALIN



ACTIVATION

ENKEPHALIN



OLIGOMER-ENKEPHALIN-CONJUGATE

EXAMPLE $m=14$ AND $n=2$ CETYL-PEG₂-ENKEPHALIN

FIG 10